PAIN

Pain 77 (1998) 333–334

Author Index to Volume 77 (1998)

Allchorne, A.J, see Ma, Q.-P, **77**, 49
Allon, I, see Gam, A.N, **77**, 73
al-Rashed, S, see Bennett, G, **77**, 315
Amsel, R, see Malenfant, A, **77**, 241
Andersen, B, see Gam, A.N, **77**, 73

Bailey, K, see Sluka, K.A, **77**, 97
Becker, N, J. Højsted, P. Sjøgren, J. Eriksen, Sociodemographic predictors of treatment outcome in chronic non-malignant pain patients. Do patients receiving or applying for Disability Pension benefit from multidisciplinary pain treatment? **77**, 279
Belgrade, M, see River, Y, **77**, 103
Bennett, G, S. al-Rashed, J.R.S. Hoult, S.D. Brain, Nerve growth factor induced hyperalgesia in the rat hind paw is dependent on circulating neutrophils, **77**, 315
Bennett, G.J, see Woolf, C.J, **77**, 227
Bensing, J, see Verhaak, P.F.M, **77**, 231
Bogush, J, see Sluka, K.A, **77**, 97
Borghouts, J.A.J, B.W. Koes, L.M. Bouter, The clinical course and prognostic factors of non-specific neck pain: a systematic review, **77**, 1
Bouter, L.M, see Borghouts, J.A.J, **77**, 1
Bouter, L.M, see van Poppel, M.N.M, **77**, 81
Brain, S.D, see Bennett, G, **77**, 315
Brattberg, G, see Kåreholt, I, **77**, 271
Brown, F.F, see Robinson, M.E, **77**, 143

Cahill, C.M, see Fisher, K, **77**, 59
Chapman, V, J. Ng, A.H. Dickenson, A novel spinal action of mexiletine in spinal somatosensory transmission of nerve injured rats, **77**, 289
Choinière, M, see Malenfant, A, **77**, 241
Choleris, E, see Kavaliers, M, **77**, 163
Clark, M.R, see Haythornthwaite, J.A, **77**, 33
Coderre, T.J, see Fisher, K, **77**, 59
Colwell, D.D, see Kavaliers, M, **77**, 163

Dekker, J, see Verhaak, P.F.M, **77**, 231
De-Melo, J.D, C.R. Tonussi, P. D'Orléans-Juste, G.A. Rae, Articular nociception induced by endothelin-1, carrageenan and LPS in naive and previously inflamed knee-joints in the rat: inhibition by endothelin receptor antagonists, **77**, 261
Devillé, W, see van Poppel, M.N.M, **77**, 81
Dickenson, A.H, see Chapman, V, **77**, 289
Doherty, M, see Woolf, C.J, **77**, 227
D'Orléans-Juste, P, see De-Melo, J.D, **77**, 261
Dougherty, P.M, W.D. Willis, F.A. Lenz, Transient inhibition of responses to thermal stimuli of spinal sensory tract neurons in monkeys during sensitization by intradermal capsaicin, **77**, 129
Dubner, R, see Woolf, C.J, **77**, 227

Eckert, E.D, see Faris, P.L, **77**, 297
Eliav, E, Gracely, R.H, Sensory changes in the territory of the lingual and inferior alveolar nerves following lower third molar extraction, **77**, 191
Eriksen, J, see Becker, N, **77**, 279

Faris, P.L, S. Won Kim, W.H. Meller, R.L. Goodale, R.D. Hofbauer, S.A. Oakman, L.A. Howard, E.R. Stevens, E.D. Eckert, B.K. Hartman, Effect of ondansetron, a 5-HT3 receptor antagonist, on the dynamic association between bulimic behaviors and pain thresholds, **77**, 297
Feine, J.S, G.J. Lavigne, T.T. Thuan Dao, C. Morin, J.P. Lund, Memories of chronic pain and perceptions of relief, **77**, 137
Fisher, K, M.E. Fundytus, C.M, Cahill, T.J. Coderre, Intrathecal administration of the mGluR compound, (*S*)-4CPG, attenuates hyperalgesia and allodynia associated with sciatic nerve constriction injury in rats, **77**, 59
Forget, R, see Malenfant, A, **77**, 241
Frigon, J.-Y, see Malenfant, A, **77**, 241
Fundytus, M.E, see Fisher, K, **77**, 59

Gam, A.N, S. Warming, L.H. Larsen, B. Jensen, O. Høydalsmo, I. Allon, B. Andersen, N.E, Gøtzsche, M. Petersen, B. Mathiesen, Treatment of myofascial trigger-points with ultrasound combined with massage and exercise – a randomised controlled trial, **77**, 73
Gebhart, G.F, see Jiang, M.C, **77**, 305
Goodale, R.L, see Faris, P.L, **77**, 297
Gøtzsche, N.E, see Gam, A.N, **77**, 73
Gracely, R.H, see Eliav, E, **77**, 191
Gremillion, H, see Robinson, M.E, **77**, 143
Grisel, J.E, see Mogil, J.S, **77**, 107
Gürtler, S, see Knecht, S, **77**, 209

Hapidou, E.G, G.B. Rollman, Menstrual cycle modulation of tender points, **77**, 151
Hartman, B.K, see Faris, P.L, **77**, 297
Haythornthwaite, J.A, L.A. Menefee, L.J. Heinberg, M.R. Clark, Pain coping strategies predict perceived control over pain, **77**, 33
Heckman, H.M, see Wagner, R, **77**, 173
Heinberg, L.J, see Haythornthwaite, J.A, **77**, 33
Henningsen, H, see Knecht, S, **77**, 209
Hirsch, M.S, R.M. Liebert, The physical and psychological experience of pain: the effects of labeling and cold pressor temperature on three pain measures in college women, **77**, 41
Hofbauer, R.D, see Faris, P.L, **77**, 297
Højsted, J, see Becker, N, **77**, 279
Hoult, J.R.S, see Bennett, G, **77**, 315
Howard, L.A, see Faris, P.L, **77**, 297
Høydalsmo, O, see Gam, A.N, **77**, 73
Hu, S.-J, J.-L. Xing, An experimental model for chronic compression of dorsal root ganglion produced by intervertebral foramen stenosis in the rat, **77**, 15

Imai, T, see Knecht, S, **77**, 209

Jensen, B, see Gam, A.N, **77**, 73
Jiang, M.C, G.F. Gebhart, Development of mustard oil-induced hyperalgesia in rats, **77**, 305
Jones, D.L, see Sorkin, L.S, **77**, 181

Kalliomäki, J, X.-L. Luo, Y.-B. Yu, J. Schouenborg, Intrathecally applied morphine inhibits nociceptive C fiber input to the primary somatosensory cortex (SI) of the rat, **77**, 323

Kåreholt, I, G. Brattberg, Pain and mortality risk among elderly persons in Sweden, **77**, 271
Kautiainen, H, see Mikkelsson, M, **77**, 67
Kavaliers, M, D.D. Colwell, E. Choleris, Sex differences in opioid and *N*-methyl-D-aspartate mediated non-opioid biting fly exposure induced analgesia in deer mice, **77**, 163
Kerssens, J.J, see Verhaak, P.F.M, **77**, 231
Khandwala, H, C.W. Loomis, Milacemide, a glycine pro-drug, inhibits strychnine-allodynia without affecting normal nociception in the rat, **77**, 87
Kidd, B, see Woolf, C.J, **77**, 227
Knecht, S, Sörös, P, Gürtler, S, Imai, T, Ringelstein, E.-B, Henningsen, H, Phantom sensations following acute pain, **77**, 209
Koes, B.W, see Borghouts, J.A.J, **77**, 1
Koes, B.W, see van Poppel, M.N.M, **77**, 81
Koltzenburg, M, see Woolf, C.J, **77**, 227
Koutantji, M, S.A. Pearce, D.A. Oakley, The relationship between gender and family history of pain with current pain experience and awareness of pain in others, **77**, 25

Larsen, L.H, see Gam, A.N, **77**, 73
Lavigne, G.J, see Feine, J.S, **77**, 137
Lenz, F.A, see Dougherty, P.M, **77**, 129
Liebert, R.M, see Hirsch, M.S, **77**, 41
Lipton, R, see Woolf, C.J, **77**, 227
Loeser, J.D, see Woolf, C.J, **77**, 227
Loomis, C.W, see Khandwala, H, **77**, 87
Lund, J.P, see Feine, J.S, **77**, 137
Luo, X.-L, see Kalliomäki, J, **77**, 323

Ma, Q.-P, A.J. Allchorne, C.J. Woolf, Morphine, the NMDA receptor antagonist MK801 and the tachykinin NK1 receptor antagonist RP67580 attenuate the development of inflammation-induced progressive tactile hypersensitivity, **77**, 49
Malenfant, A, R. Forget, R. Amsel, J. Papillon, J.-Y. Frigon, M. Choinière, Tactile, thermal and pain sensibility in burned patients with and without chronic pain and paresthesia problems, **77**, 241
Manfredi, P.L, Reply to River and Belgrade, **77**, 104
Mathiesen, B, see Gam, A.N, **77**, 73
Meller, W.H, see Faris, P.L, **77**, 297
Menefee, L.A, see Haythornthwaite, J.A, **77**, 33
Mikkelsson, M, J.J. Salminen, A. Sourander, H. Kautiainen, Contributing factors to the persistence of musculoskeletal pain in preadolescents: a prospective 1-year follow-up study, **77**, 67
Mogil, J.S, J.E. Grisel, Transgenic studies of pain, **77**, 107
Morin, C, see Feine, J.S, **77**, 137
Myers, R.R, see Wagner, R, **77**, 173

Ng, J, see Chapman, V, **77**, 289

Oakley, D.A, see Koutantji, M, **77**, 25
Oakman, S.A, see Faris, P.L, **77**, 297
Öberg, B.E, see Skargren, E.I, **77**, 201
Olson, R, see Sluka, K.A, **77**, 97

Papillon, J, see Malenfant, A, **77**, 241
Payne, R, see Woolf, C.J, **77**, 227
Pearce, S.A, see Koutantji, M, **77**, 25
Petersen, M, see Gam, A.N, **77**, 73
Puig, S, see Sorkin, L.S, **77**, 181

Rae, G.A, see De-Melo, J.D, **77**, 261
Ricketts, A, see Sluka, K.A, **77**, 97
Riley III, J.L, see Robinson, M.E, **77**, 143
Ringelstein, E.-B, see Knecht, S, **77**, 209
River, Y, M. Belgrade, Comment on Manfredi et al, *PAIN* 70 (1997) 199–101, **77**, 103
Robinson, M.E, J.L. Riley III, F.F. Brown, H. Gremillion, Sex differences in response to cutaneous anesthesia: a double blind randomized study, **77**, 143
Rollman, G.B, see Hapidou, E.G, **77**, 151

Salminen, J.J, see Mikkelsson, M, **77**, 67
Schouenborg, J, see Kalliomäki, J, **77**, 323
Selfe, S.A, Van Vugt, M, Stones, R.W, Chronic gynaecological pain: an exploration of medical attitudes, **77**, 215
Sjøgren, P, see Becker, N, **77**, 279
Skargren, E.I, Öberg, B.E, Predictive factors for 1-year outcome of low-back and neck pain in patients treated in primary care: comparison between the treatment strategies chiropractic and physiotherapy, **77**, 201
Sluka, K.A, K. Bailey, J. Bogush, R. Olson, A. Ricketts, Treatment with either high or low frequency TENS reduces the secondary hyperalgesia observed after injection of kaolin and carrageenan into the knee joint, **77**, 97
Smid, T, see van Poppel, M.N.M, **77**, 81
Sorbi, M, see Verhaak, P.F.M, **77**, 231
Sorkin, L.S, Puig, S, Jones, D.L, Spinal bicuculline produces hypersensitivity of dorsal horn neurons: effects of excitatory amino acid antagonists, **77**, 181
Sörös, P, see Knecht, S, **77**, 209
Sourander, A, see Mikkelsson, M, **77**, 67
Stanish, W, see Sullivan, M.J.L, **77**, 253
Stevens, E.R, see Faris, P.L, **77**, 297
Stones, R.W, see Selfe, S.A, **77**, 215
Sullivan, M, see Sullivan, M.J.L, **77**, 253
Sullivan, M.J.L, W. Stanishm, H. Waite, M. Sullivan, D.A. Tripp, Catastrophizing, pain, and disability in patients with soft-tissue injuries, **77**, 253

Thuan Dao, T.T, see Feine, J.S, **77**, 137
Tonussi, C.R, see De-Melo, J.D, **77**, 261
Torebjork, E, see Woolf, C.J, **77**, 227
Tripp, D.A, see Sullivan, M.J.L, **77**, 253
van Poppel, M.N.M, B.W. Koes, W. Devillé, T. Smid, L.M. Bouter, Risk factors for back pain incidence in industry: a prospective study, **77**, 81

Van Vugt, M, see Selfe, S.A, **77**, 215
Verhaak, P.F.M, J.J. Kerssens, J. Dekker, M. Sorbi, J. Bensing, Prevalence of chronic benign pain disorder among adults: a review of the literature, **77**, 231

Wagner, R, Heckman, H.M, Myers, R.R, Wallerian degeneration and hyperalgesia after peripheral nerve injury are glutathione-dependent, **77**, 173
Waite, H, see Sullivan, M.J.L, **77**, 253
Warming, S, see Gam, A.N, **77**, 73
Willis, W.D, see Dougherty, P.M, **77**, 129
Won Kim, S, see Faris, P.L, **77**, 297
Woolf, C.J, G.J. Bennett, M. Doherty, R, Dubner, B. Kidd, M. Koltzenburg, R. Lipton, J.D. Loeser, R. Payne, E. Torebjork, Towards a mechanism-based classification of pain? **77**, 227
Woolf, C.J, see Ma, Q.-P, **77**, 49

Xing, J.-L, see Hu, S.-J, **77**, 15

Yu, Y.-B, see Kalliomäki, J, **77**, 323